



Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

Your search matched **20** of **1000582** documents.

A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set
Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

= Your access to full-text

1 Process algebraic approach to the parametric analysis of object scheduling in real-time systems

Hee-Hwan Kwak; Insup Lee;

Object-Oriented Real-Time Dependable Systems, 1999. Proceedings. Fifth International Workshop on , 18-20 Nov. 1999

Pages:131 - 138

[\[Abstract\]](#) [\[PDF Full-Text \(144 KB\)\]](#) IEEE CNF

2 A feature-based parametric modeling system for CAD/CAPP/CAM integrated system

Li Hailong; Han Jianhua; Dong Jinxiang; Wang Yong;

Industrial Technology, 1996. (ICIT '96), Proceedings of The IEEE International Conference on , 2-6 Dec. 1996

Pages:329 - 333

[\[Abstract\]](#) [\[PDF Full-Text \(388 KB\)\]](#) IEEE CNF

3 Statistical techniques for the computer-aided optimization of analog integrated circuit

Michael, C.; Hua Su; Ismail, M.; Kankunnen, A.; Valtonen, M.;

Circuits and Systems I: Fundamental Theory and Applications, IEEE Transactions on , Volume: 43 , Issue: 5 , May 1996

Pages:410

[\[Abstract\]](#) [\[PDF Full-Text \(368 KB\)\]](#) IEEE JNL

4 Solid modelling with constraints and parameterised features

Lafon, J.-C.;

Information Visualization, 1998. Proceedings. 1998 IEEE Conference on , 29-31 July 1998
Pages:102 - 107

[\[Abstract\]](#) [\[PDF Full-Text \(56 KB\)\]](#) IEEE CNF

5 Domain analysis for GenVoca generators

Batory, D.;

Software Reuse, 1998. Proceedings. Fifth International Conference on , 2-5 June 1998

Pages:350 - 351

[\[Abstract\]](#) [\[PDF Full-Text \(16 KB\)\]](#) IEEE CNF

6 Leftover curry and reheated Pizza: how functional programming nourishes software reuse

Odersky, M.; Wadler, P.;

Software Reuse, 1998. Proceedings. Fifth International Conference on , 2-5 June 1998

Pages:2 - 11

[\[Abstract\]](#) [\[PDF Full-Text \(160 KB\)\]](#) IEEE CNF

7 Performance of distributed database application models using Java RMI

Pita, A.V.; Roberts, S.L.;

Performance, Computing and Communications, 1998. IPCCC '98., IEEE International , 16-18 Feb. 1998

Pages:187 - 192

[\[Abstract\]](#) [\[PDF Full-Text \(552 KB\)\]](#) IEEE CNF

8 Simulation of equipment design optimisation in microelectronics manufacturing

Tong, C.H.; Meza, J.C.; Moen, C.D.;

Simulation Symposium, 1997. Proceedings. 30th Annual , 7-9 April 1997

Pages:92 - 101

[\[Abstract\]](#) [\[PDF Full-Text \(720 KB\)\]](#) IEEE CNF

9 The problem of the dynamic organization and the static system: principles and techniques for achieving flexibility

Woolfolk, W.W.; Ligezinski, P.; Johnson, B.;

System Sciences, 1996., Proceedings of the Twenty-Ninth Hawaii International Conference on , Volume: 3 , 3-6 Jan. 1996

Pages:482 - 491 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(860 KB\)\]](#) IEEE CNF

10 GOST: an active modeling system for costing and planning NASA space programs

Castillo, D.G.; Dolk, D.R.; Kridel, D.J.;

System Sciences, 1991. Proceedings of the Twenty-Fourth Annual Hawaii International Conference on , Volume: iii , 8-11 Jan. 1991

Pages:396 - 406 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(936 KB\)\]](#) [IEEE CNF](#)

11 Parametric model: a conceptual framework for geometric modelling databases

Krishnan, D.; Kunii, T.;

Data and Knowledge Systems for Manufacturing and Engineering, 1989., Second International Conference on , 16-18 Oct. 1989

Pages:161 - 171

[\[Abstract\]](#) [\[PDF Full-Text \(688 KB\)\]](#) [IEEE CNF](#)

12 Ten questions that arose in designing the Djinn API for solid modelling

Bowyer, A.; Cameron, S.; Jared, G.; Martin, R.; Middleditch, A.; Sabin, M.; Woodward, J.;

Shape Modeling and Applications, 1997. Proceedings., 1997 International Conference on , 3-6 March 1997

Pages:71 - 76

[\[Abstract\]](#) [\[PDF Full-Text \(500 KB\)\]](#) [IEEE CNF](#)

13 Visualization of controllable regions in real-time systems using a 3D-Julia set methodology

Russell, D.W.; Alpigini, J.J.;

Information Visualization, 1997. Proceedings., 1997 IEEE Conference on , 27-29 Aug. 1997

Pages:25 - 29

[\[Abstract\]](#) [\[PDF Full-Text \(396 KB\)\]](#) [IEEE CNF](#)

14 Electrical parameter data analysis and object-oriented techniques in semiconductor process development

Freeman, G.; Kierstead, J.; Schweiger, W.;

Bipolar/BiCMOS Circuits and Technology Meeting, 1996., Proceedings of the 1996 , 29 Sept.-1 Oct. 1996

Pages:81 - 88

[\[Abstract\]](#) [\[PDF Full-Text \(864 KB\)\]](#) [IEEE CNF](#)

15 Issues in providing expert advice for users of a particle-in-cell simulation code

Gladd, N.T.; Verboncoeur, J.P.;

Plasma Science, 1995. IEEE Conference Record - Abstracts., 1995 IEEE International Conference on , 5-8 June 1995

Pages:244 - 245

[\[Abstract\]](#) [\[PDF Full-Text \(180 KB\)\]](#) [IEEE CNF](#)

[1](#) [2](#) [Next](#)


[> home](#) [> about](#) [> feedback](#) [> login](#)

US Patent & Trademark Office

Try the *new* Portal design

Give us your opinion after using it.

Search Results

Search Results for: **[object oriented<AND>((parametric design))]**Found **6** of **126,502** searched.

Search within Results

[> Advanced Search](#)[> Search Help/Tips](#)
Sort by: Title Publication Publication Date Score Binder
Results 1 - 6 of 6 short listing

- 1** A constraint-driven solid modeling open environment 84%
 Wenhsyong Lin , Arvid Myklebust
Pr ceedings on the second ACM symposium on Solid modeling and applications June 1993
- 2** A mechanism for persistently naming topological entities in history-based parametric 82%
 solid models
 Jiri Kripac
Proceedings of the third ACM symposium on Solid modeling and applications December 1995
- 3** Extended variational design technology—foundation for integrated design 80%
 automation
 Jack C. H. Chung , Teng-Shang Hwang , Chien-Tai Wu , Yu Jiang , Jai-Yi Wang , Yong Bai , Hongliu Zou
Proceedings of the fifth ACM symposium on Solid modeling and applications June 1999
- 4** A constraint-based manipulator toolset for editing 3D objects 80%
 C. Hsu , G. Alt , Z. Huang , E. Beier , B. Brüderlin
Proceedings of the fourth ACM symposium on Solid modeling and applications May 1997
- 5** Modeling with self validation features 77%
 Ferruccio Mandorli , Umberto Cugini , Harald E. Otto , Fumihiko Kimura
Proceedings of the fourth ACM symposium on Solid modeling and applications May 1997
- 6** Geometric modeling: a new fundamental framework and its practical implications 77%
 Ari Rappoport
Proceedings of the third ACM symposium on Solid modeling and applications December 1995

Results 1 - 6 of 6 short listing

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.

EAST - [default1.wsp:1]

File View Edit Tools Window Help

Drafts

Pending

Active

- L1: (1) ("5918219").PN.
- L2: (8766) 705/\$.cc1s.
- L3: (981) schedule and cost and 2
- L4: (366) architect\$5 and 3
- L5: (8) plat and 4
- L6: (5) plan adj view and 4
- L7: (27) plan adj view and 3
- L8: (461) plan adj view and 2 not 7
- L9: (80) house and 8
- L10: (35) 9 not mail
- L11: (26) 10 not postage
- L12: (381) 8 not 9
- L13: (330) 8 not mail
- L14: (461) 8 not postage
- L15: (363) 8 not postage
- L16: (363) 8 not postage
- L17: (303) 13 not postage
- L18: (1) blueprint and 17
- L19: (202) blueprint and plan adj view
- L20: (8) blueprint same plan adj view
- L21: (39) 19 and render\$3
- L22: (53) 19 and building

Failed

Saved

Favorites


Tagged (0)

UDC

Queue


Trash

	U	1	Document ID	Issue Date	Pages	Title
1	<input type="checkbox"/>	<input type="checkbox"/>	US 6684065 B2	20040127	168	Variable gain amplifier for low voltage applications
2	<input type="checkbox"/>	<input type="checkbox"/>	US 6659463 B2	20031209	13	Interconnecting miniature toy figurine bases with record tracking system




- ☐ Drafts
- ☐ Pending
- ☒ Active
 - ☒ L1: (80) pro adj2 engineer
 - ☒ L2: (681) parametric with design\$3
 - ☒ L3: (25) 1 and 2
 - ☒ L4: (10233) object adj orient\$2
 - ☒ L5: (1) 2 same 4
 - ☒ L6: (45) 2 and 4
 - ☒ L7: (0) building with 2
 - ☒ L8: (6) building with 2
 - ☒ L9: (10) layout same 2
 - ☒ L10: (45455) factory
 - ☒ L11: (8) 1 and 10
 - ☒ L12: (340) layout same 10
 - ☒ L13: (3) parametric and 12
 - ☒ L14: (1282) blueprint
 - ☒ L16: (0) parametric same 14
 - ☒ L15: (33) parametric and 14
- ☐ Failed
- ☐ Saved
- ☐ Favorites
- ☐ Tagged (0)
- ☐ UDC
- ☐ Queue
- ☐ Trash

	U	I	Document ID	Issue Date	Pages	Title	
1	<input type="checkbox"/>	<input type="checkbox"/>	US 6671818 B1	20031230	284	Problem isolation through translating and filtering events into a standard object format in a network based supply	7
2	<input type="checkbox"/>	<input type="checkbox"/>	US 6615166 B1	20030902	326	Prioritizing components of a network framework required for implementation of technology	7
3	<input type="checkbox"/>	<input type="checkbox"/>	US 6606744 B1	20030812	285	Providing collaborative installation management in a network-based supply chain environment	7
4	<input type="checkbox"/>	<input type="checkbox"/>	US 6589791 B1	20030708	39	State-variable control system	4




- ☐ Drafts
- ☐ Pending
- ☒ Active
 - ☒ L1: (0) "design++"
 - ☒ L2: (0) beck adj technology
 - ☒ L3: (74) parametric adj design\$3
 - ☒ L4: (29) architect\$4 and 3
 - ☒ L5: (45) 3 not 4
- ☐ Failed
- ☒ Saved
- ☒ Favorites
- ☒ Tagged (0)
- ☒ UDC
- ☒ Queue
- ☒ Trash

	U	A	Document ID	Issue Date	Pages	Title
1	<input type="checkbox"/>	<input type="checkbox"/>	US 6591537 B2	20030715	19	Reticle for telescopic gunsight and method for using
2	<input type="checkbox"/>	<input type="checkbox"/>	US 6587752 B1	20030701 1	15	Robot operation teaching method and apparatus
3	<input type="checkbox"/>	<input type="checkbox"/>	US 6558421 B1	20030506	12	Surgically implantable knee prosthesis



- ☐ Drafts
- ☐ Pending
- ☒ Active
 - ☒ L1: (80) pro adj2 engineer
 - ☒ L2: (681) parametric with design\$3
 - ☒ L3: (25) 1 and 2
 - ☒ L4: (10233) object adj orient\$2
 - ☒ L5: (1) 2 same 4
 - ☒ L6: (45) 2 and 4
- ☐ Failed
- ☐ Saved
- ☐ Favorites
- ☐ Tagged (0)
- ☐ UDC
- ☐ Queue
- ☐ Trash

	U	I	Document ID	Issue Date	Pages	Title	
1	<input type="checkbox"/>	<input type="checkbox"/>	US 6625507 B1	20030923	18	Method and system for designing a low pressure turbine shaft	7
2	<input type="checkbox"/>	<input type="checkbox"/>	US 6614430 B1	20030902	15	System and method for the exchange of CAD data	3
3	<input type="checkbox"/>	<input type="checkbox"/>	US 6611725 B1	20030826	14	Computer drawing system	7
4	<input type="checkbox"/>	<input type="checkbox"/>	US 6606588 B1	20030812	141	Design apparatus and a method for generating an implementable description	7



- ☐ Drafts
- ☐ Pending
- ☒ Active
 - ☐ L1: (80) pro adj2 engineer
 - ☐ L2: (681) parametric with design\$3
 - ☐ L3: (25) 1 and 2
 - ☐ L4: (10233) object adj orient\$2
 - ☐ L5: (1) 2 same 4
 - ☒ L6: (45) 2 and 4
- ☐ Failed
- ☐ Saved
- ☐ Favorites
- ☐ Tagged (0)
- ☐ UDC
- ☐ Queue
- ☐ Trash

	U	1	Document ID	Issue Date	Pages	Title	
1	<input type="checkbox"/>	<input type="checkbox"/>	US 6625507 B1	20030923	18	Method and system for designing a low pressure turbine shaft	7
2	<input type="checkbox"/>	<input type="checkbox"/>	US 6614430 B1	20030902	15	System and method for the exchange of CAD data	3
3	<input type="checkbox"/>	<input type="checkbox"/>	US 6611725 B1	20030826	14	Computer drawing system	7
4	<input type="checkbox"/>	<input type="checkbox"/>	US 6606588 B1	20030812	141	Design apparatus and a method for generating an implementable description	7